

- [1] N. Beztsinna *et al.*, “Quantitative analysis of receptor-mediated uptake and pro-apoptotic activity of mistletoe lectin-1 by high content imaging,” *Sci. Rep.*, vol. 8, no. 1, p. 2768, Dec. 2018.
- [2] C. Boreström *et al.*, “A CRISP(e)R view on kidney organoids allows generation of an induced pluripotent stem cell-derived kidney model for drug discovery,” *Kidney Int.*, vol. 94, no. 6, pp. 1099–1110, 2018.
- [3] S. T. Durant *et al.*, “The brain-penetrant clinical ATM inhibitor AZD1390 radiosensitizes and improves survival of preclinical brain tumor models,” *Sci. Adv.*, vol. 4, no. 6, p. eaat1719, Jun. 2018.
- [4] E. H. Finn *et al.*, “Heterogeneity and Intrinsic Variation in Spatial Genome Organization,” *Bioarxiv*, 2017.
- [5] H. Fuse *et al.*, “Antihypertrophic Effects of Small Molecules that Maintain Mitochondrial ATP Levels Under Hypoxia,” *EBioMedicine*, vol. 24, pp. 147–158, 2017.
- [6] G. Gut, M. D. Herrmann, and L. Pelkmans, “Multiplexed protein maps link subcellular organization to cellular states,” *Science (80-. )*, vol. 361, no. 6401, 2018.
- [7] K.-J. Jang *et al.*, “Introducing an automated high content confocal imaging approach for Organs-on-Chips,” *Lab Chip*, vol. 19, no. 3, pp. 410–421, 2019.
- [8] L.-S. Kontturi, J. van den Dikkenberg, A. Urtti, W. Hennink, and E. Mastrobattista, “Light-Triggered Cellular Delivery of Oligonucleotides,” *Pharmaceutics*, vol. 11, no. 2. p. 90, 2019.
- [9] L. Marrone *et al.*, “Isogenic FUS-eGFP iPSC Reporter Lines Enable Quantification of FUS Stress Granule Pathology that Is Rescued by Drugs Inducing Autophagy,” *Stem Cell Reports*, vol. 10, no. 2, pp. 375–389, Feb. 2018.
- [10] T. Misteli *et al.*, “Effects of human sex chromosome dosage on spatial chromosome organization,” *Mol. Biol. Cell*, vol. 29, no. 20, pp. 2458–2469, Aug. 2018.

- [11] Y. Miyake *et al.*, “Influenza virus uses transportin 1 for vRNP debundling during cell entry,” *Nat. Microbiol.*, 2019.
- [12] L. Pelkmans, R. de Groot, J. Lüthi, H. Lindsay, and R. Holtackers, “Large-scale image-based profiling of single-cell phenotypes in arrayed CRISPR-Cas9 gene perturbation screens,” *Mol. Syst. Biol.*, vol. 14, no. 1, p. e8064, 2018.
- [13] A. K. Rai, J. X. Chen, M. Selbach, and L. Pelkmans, “Kinase-controlled phase transition of membraneless organelles in mitosis,” *Nature*, vol. 559, no. 7713, pp. 211–216, 2018.
- [14] R. Sachdev *et al.*, “Endoplasmic Reticulum Stress Induces Myostatin High Molecular Weight Aggregates and Impairs Mature Myostatin Secretion,” *Mol. Neurobiol.*, vol. 55, no. 11, pp. 8355–8373, 2018.
- [15] H. M. Schatzl *et al.*, “Cell-to-cell propagation of infectious cytosolic protein aggregates,” *Proc. Natl. Acad. Sci.*, vol. 110, no. 15, pp. 5951–5956, 2013.
- [16] H. Shi *et al.*, “Folate-dactolisib conjugates for targeting tubular cells in polycystic kidneys,” *J. Control. Release*, vol. 293, pp. 113–125, Jan. 2019.
- [17] F. Sun *et al.*, “Mixed micellar system stabilized with saponins for oral delivery of vitamin K,” *Colloids Surfaces B Biointerfaces*, vol. 170, pp. 521–528, Oct. 2018.
- [18] A. C. Tuck *et al.*, “Distinctive features of lincRNA gene expression suggest widespread RNA-independent functions,” *Life Sci. Alliance*, vol. 1, no. 4, p. e201800124, Aug. 2018.
- [19] I. Velter *et al.*, “Repurposing High-Throughput Image Assays Enables Biological Activity Prediction for Drug Discovery,” *Cell Chem. Biol.*, vol. 25, no. 5, pp. 611–618.e3, 2018.
- [20] A. Verheyen *et al.*, “Genetically Engineered iPSC-Derived FTDP-17 MAPT Neurons Display Mutation-Specific Neurodegenerative and Neurodevelopmental Phenotypes,” *Stem Cell Reports*, vol. 11, no. 2, pp. 363–379, Aug. 2018.
- [21] L. Vranckx *et al.*, “Molecular mechanism of respiratory syncytial virus fusion inhibitors,” *Nat. Chem. Biol.*, vol. 12, no. 2, pp. 87–93, 2015.

[22] J. Wang *et al.*, “A Molecular Grammar Governing the Driving Forces for Phase Separation of Prion-like RNA Binding Proteins,” *Cell*, vol. 174, no. 3, pp. 688-699.e16, 2018.

[23] Y. Yu, B. Blokhuis, Y. Derks, S. Kumari, J. Garssen, and F. Redegeld, “Human mast cells promote colon cancer growth via bidirectional crosstalk: studies in 2D and 3D coculture models,” *Oncoimmunology*, vol. 7, no. 11, p. e1504729, Nov. 2018.