

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Conductivity Standard 1,3 µS/cm

Revision date: 28.03.2012 Version: 2 Language: en-US Date of print: 18.12.2012

Page: 1 of 6

1. Product and company identification

Product identifier

Trade name: Conductivity Standard 1,3 µS/cm

Relevant identified uses of the substance or mixture and uses advised against

Material number 238973

General use: Calibration solution

Details of the supplier of the safety data sheet

Company name: HAMILTON Bonaduz AG

Street/POB-No.: Via Crusch 8
Postal Code, city: 7402 Bonaduz
Switzerland

 WWW:
 www.hamilton.ch

 Telephone:
 +41 81 660 62 76

 Telefax:
 +41 81 660 60 70

Dept. responsible for information:

Susanne Näf-Rüdiger,

Telephone: +41 81 660 62 76, E-mail SNaef@hamilton.ch

Emergency telephone number

GIZ-Nord, Germany, Telephone: +49 (0)551-19240

2. Hazards identification

Emergency overview

Physical state: liquid
Color: colorless
Odor: odorless

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Information pertaining to special dangers for human and environment

see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterization: aqueous solution

Hazardous ingredients:

CAS No.	Designation	Content	Classification
CAS 56-81-5	Glycerol	>= 50 %	not applicable

4. First-aid measures

After inhalation: Provide fresh air.

In case of skin contact: Remove residues with water. Change contaminated clothing.

After eye contact: With eyelids open, wash out eyes for several minutes under flowing water. In case of troubles

or persistent symptoms, consult an opthalmologist.



accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Conductivity Standard 1,3 µS/cm

Version: Language: en-US Date of print: 18.12.2012

Revision date: 28.03.2012

Page: 2 of 6

After swallowing:

Rinse mouth and drink large quantities of water.

Material number 238973

If you feel unwell, seek medical advice.

Most important symptoms and effects, both acute and delayed

No data available

Information to physician

Treat symptomatically.

5. Firefighting measures

Flash point / flash point range:

approx. 356 °F

Suitable extinguishing media:

Water fog, alcohol resistant foam, extinguishing powder, carbon dioxide

Special hazards arising from the substance or mixture

In case of fire may be liberated: Acrolein, carbon monoxide and carbon dioxide.

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

6. Accidental release measures

Personal precautions: Avoid contact with skin, eyes, and clothing. Do not breathe vapors.

Methods for cleaning up: Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store

in special closed containers and dispose of according to ordinance. Wash spill area with plenty

of water.

7. Handling and storage

Handling

Advices on safe handling: Avoid aerosol and mist formation.

Avoid prolonged and intensive skin contact.

Storage

Requirements for storerooms and containers:

Keep container tightly closed. Store at room temperature.

Specific use(s)

Calibration solution

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No. Designa	ation Type	Limit value	
56-81-5 Glycero	USA: ACGIH: TWA USA: OSHA: TWA USA: OSHA: TWA	10 mg/m³ 15 mg/m³ (total) 5 mg/m³ (respirable fraction)	

Engineering controls

Provide good ventilation and/or an exhaust system in the work area.

See also information in chapter 7, section storage.

Eve protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 28.03.2012 Version: Language:

en-US Date of print: 18.12.2012

3 of 6

Conductivity Standard 1,3 µS/cm

Material number 238973 Page:

Wear suitable protective clothing. Body protection:

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material: natural rubber, nitrile rubber, butyl caoutchouc (butyl rubber).

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Personal protection equipment

Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. Respiratory protection:

Use filter according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.

General protection and hygiene measures

Change contaminated clothing.

Wash hands before breaks and after work. Follow up by applying protective skin cream.

9. Physical and chemical properties

Appearance

Physical state: liauid Color: colorless odorless Odor:

Important health, safety and environmental information

Boiling temperature / boiling range: approx. 248 °F Flash point / flash point range: approx. 356 °F approx. 806 °F Ignition temperature: at 68 °F: 1,2 g/mL Density: at 68 °F: approx. 6 pH value: at 68 °F: soluble Water solubility:

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Product is stable under normal storage conditions.

Polymerisation: No hazardous reactions known.

Conditions to avoid: Protect from excessive heat.

Materials to avoid: strong oxidizing agents, nitric acid, sulphuric acid, phosphorus oxides, peroxide compounds,

hydrogen peroxide, halogens

Hazardous decomposition products:

In case of fire may be liberated: Acrolein, carbon monoxide and carbon dioxide.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 28.03.2012 Version: Language: en-US Date of print: 18.12.2012

Page: 4 of 6

Conductivity Standard 1,3 µS/cm Material number 238973

11. Toxicological information

Toxicological tests

Toxicological effects: Acute toxicity (oral): Lack of data.

> Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data. Eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data. Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

General remarks

Information about Glycerol: LD50 Rat, oral: 12600 mg/kg.

After ingestion of high quantities: Headache, diarrhea, cyanosis (blue coloration of the blood).

12. Ecological information

Ecotoxicity

Aquatic toxicity: Information about Glycerol:

> Daphnia toxicity: EC50 Daphnia magna: > 10000 mg/l/24 h. Fish toxicity: LC50 Carassius auratus: > 5000 mg/l/24 h.

Persistence and degradability

Further details: Information about Glycerol:

Product is readily biodegradable.

Additional ecological information

Volatile organic compounds (VOC):

0 % by weight

General information: Do not allow to enter undiluted resp. in large quantities into surface water or into drains.

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.



Material number 238973

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Conductivity Standard 1,3 µS/cm

Version: en-US Language: Date of print:

Revision date: 28.03.2012

18.12.2012

Page: 5 of 6

14. Transport information

USA: Department of Transportation (DOT)

Not controlled under DOT Proper shipping name:

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: No

Air transport (IATA)

Proper shipping name: Not restricted

Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not controlled under TDG

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

U.S. Federal Regulations

Glycerol: TSCA Inventory: listed

TSCA HPVC: not listed

Clean Air Act:

SOCMI Chemical: yes NIOSH Recommendations:

Occupational Health Guideline: 0302

National regulations - EC member states

Labeling (67/548/EEC or 1999/45/EC)

Code letter and hazard symbol

not applicable

R phrase(s): not applicable S phrase(s): not applicable

National regulations - Great Britain

Hazchem-Code:

16. Other information

Hazard rating systems: NFPA Hazard Rating:



Health: 1 (Slight) Fire: 1 (Slight) Reactivity: 0 (Minimal)

HMIS Version III Rating: Health: 1 (Slight) Flammability: 1 (Slight) Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

Reason of change: General revision Date of first version: 03.12.2009 Department issuing data sheet

Contact person: see section 1: Dept. responsible for information





in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Conductivity Standard 1,3 µS/cm

Material number 238973

Revision date: 28.03.2012 Version: Language:

Date of print: 18.12.2012

Page: 6 of 6

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.