

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# Conductivity Standard 84 µS/cm

Material number 238984 Page:

Revision date: 22.03.2012 Version: 2 Language: en-US Date of print: 18.12.2012

1 of 5

## 1. Product and company identification

**Product identifier** 

Trade name: Conductivity Standard 84 µS/cm

Relevant identified uses of the substance or mixture and uses advised against

General use: Calibration solution

Details of the supplier of the safety data sheet

Company name: HAMILTON Bonaduz AG

Street/POB-No.: Via Crusch 8
Postal Code, city: 7402 Bonaduz

Switzerland

www.hamilton.ch
Telephone: +41 81 660 62 76
Telefax: +41 81 660 60 70

Dept. responsible for information:

Susanne Näf-Rüdiger,

Telephone: +41 81 660 62 76, E-mail SNaef@hamilton.ch

**Emergency telephone number** 

GIZ-Nord, Germany, Telephone: +49 (0)551-19240

## 2. Hazards identification

#### **Emergency overview**

Physical state: liquid
Color: colorless
Odor: odorless

#### Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

### Information pertaining to special dangers for human and environment

see section 11: Toxicological information

## 3. Composition / Information on ingredients

Chemical characterization: aqueous solution

### 4. First-aid measures

After inhalation: Move victim to fresh air. Seek medical attention.

In case of skin contact: Remove residues with water. Change contaminated clothing.

In case of skin reactions, consult a physician.

After eye contact: With eyelids open, wash out eyes for several minutes under flowing water. In case of troubles

or persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth and drink large quantities of water.

If you feel unwell, seek medical advice.

### Most important symptoms and effects, both acute and delayed

No data available



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# Conductivity Standard 84 µS/cm

Material number 238984 Page:

Revision date: 22.03.2012 Version: 2 Language: en-US Date of print: 18.12.2012

2 of 5

## Information to physician

Treat symptomatically.

# 5. Firefighting measures

Flash point / flash point range:

not combustible

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

#### Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapors.

Special protective equipment for firefighters:

In case of surrounding fires: Wear self-contained breathing apparatus.

### 6. Accidental release measures

Personal precautions: Avoid contact with skin, eyes, and clothing.

Environmental measures: Do not allow to penetrate into soil, waterbodies or drains.

Methods for cleaning up: Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store

in special closed containers and dispose of according to ordinance. Wash spill area with plenty

of water.

## 7. Handling and storage

#### Handling

Advices on safe handling: Avoid prolonged and intensive skin contact.

#### **Storage**

Requirements for storerooms and containers:

Keep container tightly closed. Store at room temperature.

### Specific use(s)

calibration solution

# 8. Exposure controls / personal protection

#### **Engineering controls**

Provide good ventilation and/or an exhaust system in the work area.

See also information in chapter 7, section storage.

Eye protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Body protection: Wear suitable protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material: natural rubber, nitrile rubber, butyl caoutchouc (butyl rubber).

Breakthrough time: > 480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

#### Personal protection equipment

Respiratory protection: Provide adequate ventilation.

### General protection and hygiene measures

Change contaminated clothing.

Wash hands before breaks and after work.



Material number 238984

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Conductivity Standard 84 µS/cm

Revision date: 22.03.2012 Version: 2 Language: en-US Date of print: 18.12.2012

Page: 3 of 5

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid
Color: colorless
Odor: odorless

#### Important health, safety and environmental information

Boiling temperature / boiling range: approx. 212 °F Flash point / flash point range: not combustible

Density: at 68 °F: approx. 1 g/mL

pH value: at 68 °F: 4-8

Water solubility: at 68 °F: infinitely soluble

## 10. Stability and reactivity

Reactivity: No data available

Chemical stability: Product is stable under normal storage conditions.

Polymerisation: No hazardous reactions known.

Materials to avoid: strong acids and alkalis

Hazardous decomposition products:

Fires in the immediate vicinity may cause the development of dangerous vapors.

## 11. Toxicological information

## **Toxicological tests**

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data. Eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

# 12. Ecological information

#### Additional ecological information

General information: Do not allow to enter undiluted resp. in large quantities into surface water or into drains.



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 22.03.2012 Version: en-US Language: Date of print:

18.12.2012

Page: 4 of 5

## Conductivity Standard 84 µS/cm

Material number 238984

# 13. Disposal considerations

#### **Product**

Recommendation: Dispose of waste according to applicable legislation.

#### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

## 14. Transport information

#### **USA:** Department of Transportation (DOT)

Proper shipping name: Not controlled under DOT

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: No

Air transport (IATA)

Proper shipping name: Not restricted

**Canada: Transportation of Dangerous Goods (TDG)** 

Not controlled under TDG Shipping name:

### **Further information**

No dangerous good in sense of these transport regulations.

## 15. Regulatory information

## National regulations - EC member states

#### Labeling (67/548/EEC or 1999/45/EC)

Code letter and hazard symbol:

R phrase(s):

S phrase(s):

not applicable not applicable not applicable

#### **National regulations - Great Britain**

Hazchem-Code:

## 16. Other information

Hazard rating systems: NFPA Hazard Rating:



Health: 1 (Slight) Fire: 0 (Minimal) Reactivity: 0 (Minimal) HMIS Version III Rating: Health: 1 (Slight)

Flammability: 0 (Minimal) Physical Hazard: 0 (Minimal) Personal Protection: B

Reason of change: General revision Date of first version: 03.03.2011





in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# Conductivity Standard 84 µS/cm

Material number 238984

Revision date: 22.03.2012 Version: 2 Language: en-US Date of print: 18.12.2012

Page: 5 of 5

### Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.