

Yokogawa - Order RMA-No/Case-ID Filled in by yokogawa.	

## Certificate of Release for safe works::

In order to guarantee the health and safety of our personnel we request you to complete and return this form. This document is applicable for all Yokogawa field instruments. which have been in contact with your process medium.

## Please return to YEF-G-VPServices@yokogawa.com

**Problem Description:** 

Process Type:

Date:

By signing this document, we confirm that the above-mentioned device was cleaned prior to shipping and doesn't contain any residual product, which may be toxic, inflammable or aggressive or may develop toxic, inflammable or aggressive vapors when heated.

We agree that the following fees apply for the first inspection of the above-mentioned device, regardless of the outcome of the inspection. The creation of a quotation for the repair is included in these fees.

Signature:

If the device is returned unrepaired or repaired after first inspection, or the device is discarded by Yokogawa upon customer request, an additional service fee of 50 € will be charged to customer.

Service Fees for first inspection and creation of repair quotation:

City:

Yokogawa Deutschland GmbH (LHQ Ratingen)

- Zirconia ZR22G; ZR402G; ZR802G; ZR202G

- Laser TDLS 8000; 8100; 8200

- Electrodes pH; Conductivity, Probes SC72, pH71/pH72

- In-House Troubleshooting / Check - Transmitter

→ 625 €

Yokogawa Deutschland GmbH (CCO Herrsching)

- Schreiber: SmartDAQ, DX-, MV-, μR-, SR-, MX-, MW-, DR-Serie

→ 250 €

Contact: YOKOGAWA Deutschland GmbH PCI-Service +49 2102 4983 666

Please send the device to the following service center: (filled in by Yokogawa)			
Yokogawa Deutschland GmbH PCI – Service Broichhofstraße 7-11 D-40880 Ratingen	ROTA Yokogawa GmbH&Co. KG Services Rheinstraße 8 D-79664 Wehr	Yokogawa Deutschland GmbH Niederlassung Herrsching Test & Messtechnik Gewerbestraße 17 D-82211 Herrsching	